

Swampy Woodland

Ecological Vegetation Classes (EVC) are the standard unit for classifying vegetation types in Victoria.

EVC:937 Swampy Woodland | Kingston Status: Endangered

Open eucalypt woodland with ground-layer dominated by tussock grasses and/or sedges and often rich in herbs. Occurs on poorly drained, seasonally waterlogged heavy soils, primarily on swamp deposits but extending to suitable substrates within some landscapes of sedimentary origin.

Kingston Species List

COMMON NAME	SCIENTIFIC	LIFE FORM
Black Wattle	<i>Acacia mearnsii</i>	Tree
Blackwood	<i>Acacia melanoxylon</i>	Tree
Mealy Stringybark	<i>Eucalyptus cephalocarpa</i>	Tree
Swamp Gum	<i>Eucalyptus ovata</i> var. <i>ovata</i>	Tree
Silver Banksia	<i>Banksia marginata</i>	Tree
Yellow Box	<i>Eucalyptus melliodora</i>	Tree
Narrow-leaf Peppermint	<i>Eucalyptus radiata</i> ssp. <i>radiata</i>	Tree
Manna Gum	<i>Eucalyptus viminalis</i> ssp. <i>viminalis</i>	Tree
Cherry Ballart	<i>Exocarpos cupressiformis</i>	Tree
Hedge Wattle	<i>Acacia paradoxa</i>	Shrub
Common Cassinia	<i>Cassinia aculeata</i>	Shrub
Drooping Cassinia	<i>Cassinia aculeata</i>	Shrub
Prickly Currant-bush	<i>Coprosma quadrifida</i>	Shrub
Grey Parrot-pea	<i>Dillwynia cinerascens</i>	Shrub
Common Heath	<i>Epacris impressa</i>	Shrub
Yellow Hakea	<i>Hakea nodosa</i>	Shrub
Yarra Burgan	<i>Kunzea leptospermoides</i>	Shrub
Prickly Tea-tree	<i>Leptospermum continentale</i>	Shrub
Woolly Tea-tree	<i>Leptospermum lanigerum</i>	Shrub
Manuka	<i>Leptospermum scoparium</i>	Shrub
Swamp Paperbark	<i>Melaleuca ericifolia</i>	Shrub
Tree Violet	<i>Melicytus dentatus</i>	Shrub
Twiggy Daisy-bush	<i>Olearia ramulosa</i> var. <i>ramulosa</i>	Shrub
Tree Everlasting	<i>Ozothamnus ferrugineus</i>	Shrub
Golden Bush-pea	<i>Pultenaea gunnii</i> ssp. <i>gunnii</i>	Shrub
Small-leaf Bramble	<i>Rubus parvifolius</i>	Shrub
Large Kangaroo Apple	<i>Solanum laciniatum</i>	Shrub
Eastern Globe-pea	<i>Sphaerolobium minus</i>	Shrub

Currently there are 30 EVCs represented within Kingston, however only 16 of these are found in Council's bushland and foreshore reserves, for which these profiles have been developed. This EVC profile may also be a useful reference for anyone interested in understanding, protecting, and restoring the unique biodiversity that occurs in their area.

Swampy Woodland

Kingston Species List

COMMON NAME	SCIENTIFIC	LIFE FORM
Common Apple-berry	<i>Billardiera mutabilis</i>	Climber
Coarse Dodder-laurel	<i>Cassytha melantha</i>	Climber
Creeping Mistletoe	<i>Muellerina eucalyptoides</i>	Climber
Bidgee-widgee	<i>Acaena novae-zelandiae</i>	Ground cover
Common Maidenhair	<i>Adiantum aethiopicum</i>	Ground cover
Swamp Daisy	<i>Allittia cardiocarpa</i>	Ground cover
Dwarf Aphelia	<i>Aphelia pumilio</i>	Ground cover
Chocolate Lily	<i>Arthropodium strictum</i>	Ground cover
Soft Twig-rush	<i>Baumea rubiginosa</i>	Ground cover
Soft Water-fern	<i>Blechnum minus</i>	Ground cover
Creeping Bossiaea	<i>Bossiaea prostrata</i>	Ground cover
Milkmaids	<i>Burchardia umbellata</i>	Ground cover
Sweet Bursaria	<i>Bursaria spinosa</i>	Ground cover
False Bracken	<i>Calochlaena dubia</i>	Ground cover
Tall Sedge	<i>Carex appressa</i>	Ground cover
Centella	<i>Centella cordifolia</i>	Ground cover
Spreading Crassula	<i>Crassula decumbens</i> var. <i>decumbens</i>	Ground cover
Rough Tree-fern	<i>Cyathea australis</i>	Ground cover
Flecked Flat-sedge	<i>Cyperus gunnii</i> ssp. <i>gunnii</i>	Ground cover
Spreading Flax-lily	<i>Dianella admixta</i>	Ground cover
Pale Flax-lily	<i>Dianella laevis</i> var. <i>laevis</i>	Ground cover
Tasman Flax-lily	<i>Dianella tasmanica</i>	Ground cover
Common Rasp-fern	<i>Doodia australis</i>	Ground cover
Tall Sundew	<i>Drosera auriculata</i>	Ground cover
Spreading Rope-rush	<i>Empodisma minus</i>	Ground cover
Grey Willow-herb	<i>Epilobium billardierianum</i> ssp. <i>cinereum</i>	Ground cover
Hairy Willow-herb	<i>Epilobium hirtigerum</i>	Ground cover
Star Cudweed	<i>Euchiton involucratus</i>	Ground cover
Purple Eyebright	<i>Euphrasia collina</i> ssp. <i>collina</i>	Ground cover
Thatch Saw-sedge	<i>Gahnia radula</i>	Ground cover
Red-fruit Saw-sedge	<i>Gahnia sieberiana</i>	Ground cover
Shade Raspwort	<i>Gonocarpus humilis</i>	Ground cover
Creeping Raspwort	<i>Gonocarpus micranthus</i> ssp. <i>micranthus</i>	Ground cover
Common Raspwort	<i>Gonocarpus tetragynus</i>	Ground cover
Lanky Goodenia	<i>Goodenia elongata</i>	Ground cover

Currently there are 30 EVCs represented within Kingston, however only 16 of these are found in Council's bushland and foreshore reserves, for which these profiles have been developed. This EVC profile may also be a useful reference for anyone interested in understanding, protecting, and restoring the unique biodiversity that occurs in their area.

Swampy Woodland

Kingston Species List

COMMON NAME	SCIENTIFIC	LIFE FORM
Swamp Goodenia	<i>Goodenia humilis</i>	Ground cover
Hop Goodenia	<i>Goodenia ovata</i>	Ground cover
Austral Brooklime	<i>Gratiola peruviana</i>	Ground cover
Glandular Brooklime	<i>Gratiola pubescens</i>	Ground cover
Varied Raspwort	<i>Haloragis heterophylla</i>	Ground cover
Jersey Cudweed	<i>Helichrysum luteoalbum</i>	Ground cover
Bat's Wing Fern	<i>Histiopteris incisa</i>	Ground cover
Hairy Pennywort	<i>Hydrocotyle hirta</i>	Ground cover
Stinking Pennywort	<i>Hydrocotyle laxiflora</i>	Ground cover
Ruddy Ground-fern	<i>Hypolepis rugosula</i>	Ground cover
Broad-fruit Club-sedge	<i>Isolepis cernua</i> var. <i>platycarpa</i>	Ground cover
Grassy Club-sedge	<i>Isolepis hookeriana</i>	Ground cover
Swamp Club-sedge	<i>Isolepis inundata</i>	Ground cover
Toad Rush	<i>Juncus bufonius</i>	Ground cover
Joint-leaf Rush	<i>Juncus holoschoenus</i>	Ground cover
Pale Rush	<i>Juncus pallidus</i>	Ground cover
Broad-leaf Rush	<i>Juncus planifolius</i>	Ground cover
Broom Rush	<i>Juncus sarophorus</i>	Ground cover
Finger Rush	<i>Juncus subsecundus</i>	Ground cover
Slender Bottle-daisy	<i>Lagenophora gracilis</i>	Ground cover
Common Rapier-sedge	<i>Lepidosperma filiforme</i>	Ground cover
Slender Sword-sedge	<i>Lepidosperma gunnii</i>	Ground cover
Variable Sword-sedge	<i>Lepidosperma laterale</i>	Ground cover
Pithy Sword-sedge	<i>Lepidosperma longitudinale</i>	Ground cover
Wiry Buttons	<i>Leptorhynchos tenuifolius</i>	Ground cover
Common Scale-rush	<i>Lepyrodia muelleri</i>	Ground cover
Screw Fern	<i>Lindsaea linearis</i>	Ground cover
Angled Lobelia	<i>Lobelia anceps</i>	Ground cover
Wattle Mat-rush	<i>Lomandra filiformis</i> ssp. <i>coriacea</i>	Ground cover
Spiny-headed Mat-rush	<i>Lomandra longifolia</i> ssp. <i>longifolia</i>	Ground cover
Small Loosestrife	<i>Lythrum hyssopifolia</i>	Ground cover
Variable Stinkweed	<i>Opercularia varia</i>	Ground cover
Running Marsh-flower	<i>Ornduffia reniformis</i>	Ground cover
Shady Wood-sorrel	<i>Oxalis exilis</i>	Ground cover
Long Purple-flag	<i>Patersonia occidentalis</i> var. <i>occidentalis</i>	Ground cover
Yellow Star	<i>Pauridia vaginata</i>	Ground cover
Kopata	<i>Pelargonium inodorum</i>	Ground cover
Common Reed	<i>Phragmites australis</i>	Ground cover

Currently there are 30 EVCs represented within Kingston, however only 16 of these are found in Council's bushland and foreshore reserves, for which these profiles have been developed. This EVC profile may also be a useful reference for anyone interested in understanding, protecting, and restoring the unique biodiversity that occurs in their area.

Swampy Woodland

Kingston Species List

COMMON NAME	SCIENTIFIC	LIFE FORM
Common Flat-pea	<i>Platylobium obtusangulum</i>	Ground cover
Small Poranthera	<i>Poranthera microphylla s.l.</i>	Ground cover
Austral Bracken	<i>Pteridium esculentum</i>	Ground cover
Common Bog-sedge	<i>Schoenus apogon</i>	Ground cover
Slender Bog-sedge	<i>Schoenus lepidosperma</i>	Ground cover
Leafy Bog-sedge	<i>Schoenus macshalinus</i>	Ground cover
Soft Bog-sedge	<i>Schoenus tesquorum</i>	Ground cover
Annual Fireweed	<i>Senecio glomeratus ssp. glomeratus</i>	Ground cover
Rough Fireweed	<i>Senecio hispidulus</i>	Ground cover
Slender Fireweed	<i>Senecio prenanthoides</i>	Ground cover
Cotton Fireweed	<i>Senecio quadridentatus</i>	Ground cover
Slender Stackhousia	<i>Stackhousia viminea</i>	Ground cover
Thrift-leaved Triggerplant	<i>Stylidium armeria</i>	Ground cover
Grass-leaved Triggerplant	<i>Stylidium graminifolium</i>	Ground cover
Hair-sedge	<i>Tetraria capillaris</i>	Ground cover
Tufted Lily	<i>Thelionema caespitosum</i>	Ground cover
Common Fringe-lily	<i>Thysanotus tuberosus ssp. tuberosus</i>	Ground cover
Yellow Rush-lily	<i>Tricoryne elatior</i>	Ground cover
Streaked Arrowgrass	<i>Triglochin striata</i>	Ground cover
Slender Speedwell	<i>Veronica gracilis</i>	Ground cover
Ivy-leaf Violet	<i>Viola hederacea</i>	Ground cover
Small Grass-tree	<i>Xanthorrhoea minor ssp. lutea</i>	Ground cover
Cut-leaf Xanthosia	<i>Xanthosia dissecta var. dissecta</i>	Ground cover

Currently there are 30 EVCs represented within Kingston, however only 16 of these are found in Council's bushland and foreshore reserves, for which these profiles have been developed. This EVC profile may also be a useful reference for anyone interested in understanding, protecting, and restoring the unique biodiversity that occurs in their area.

Swampy Woodland

Kingston Species List

COMMON NAME	SCIENTIFIC	LIFE FORM
Pointed Swamp Wallaby-grass	<i>Amphibromus archeri</i>	Grass
Veined Spear-grass	<i>Austrostipa rudis ssp. rudis</i>	Grass
Heath Bent-grass	<i>Deyeuxia densa</i>	Grass
Reed Bent-grass	<i>Deyeuxia quadriseta</i>	Grass
Rough Plume-grass	<i>Dichelachne sieberiana</i>	Grass
Common Love-grass	<i>Eragrostis brownii</i>	Grass
Australian Sweet-grass	<i>Glyceria australis</i>	Grass
Mat Grass	<i>Hemarthria uncinata var. uncinata</i>	Grass
Hooker's Fescue	<i>Hookerchloa hookeriana</i>	Grass
Blady Grass	<i>Imperata cylindrica</i>	Grass
Common Blown-grass	<i>Lachnagrostis filiformis</i>	Grass
Weeping Grass	<i>Microlaena stipoides var. stipoides</i>	Grass
Five-awned Spear-grass	<i>Pentapogon quadrifidus var. quadrifidus</i>	Grass
Common Tussock-grass	<i>Poa labillardierei var. labillardierei</i>	Grass
Soft Tussock-grass	<i>Poa morrisii</i>	Grass
Slender Tussock-grass	<i>Poa tenera</i>	Grass
Copper-awned Wallaby-grass	<i>Rytidosperma fulvum</i>	Grass
Kneed Wallaby-grass	<i>Rytidosperma geniculatum</i>	Grass
Smooth Wallaby-grass	<i>Rytidosperma laeve</i>	Grass
Red-anther Wallaby-grass	<i>Rytidosperma pallidum</i>	Grass
Velvet Wallaby-grass	<i>Rytidosperma pilosum var. pilosum</i>	Grass
Slender Wallaby-grass	<i>Rytidosperma racemosum var. racemosum</i>	Grass
Wetland Wallaby-grass	<i>Rytidosperma semiannulare</i>	Grass
Bristly Wallaby-grass	<i>Rytidosperma setaceum var. setaceum</i>	Grass
Kangaroo Grass	<i>Themeda triandra</i>	Grass

Currently there are 30 EVCs represented within Kingston, however only 16 of these are found in Council's bushland and foreshore reserves, for which these profiles have been developed. This EVC profile may also be a useful reference for anyone interested in understanding, protecting, and restoring the unique biodiversity that occurs in their area.